



Government of India
Ministry of Environment, Forest and Climate Change
(Issued by the State Environment Impact Assessment
Authority(SEIAA), Maharashtra)

To,

The director
ATMOSPHERE REALTY PVT LTD
808,Krushal Commercial Complex, Above Shoppers Stop, G M Road,
Chembur , Mumbai -400089

Subject: Grant of Environmental Clearance (EC) to the proposed Project Activity
under the provision of EIA Notification 2006-regarding

Sir/Madam,

This is in reference to your application for Environmental Clearance (EC)
in respect of project submitted to the SEIAA vide proposal number
SIA/MH/MIS/68430/2018 dated 03 Dec 2021. The particulars of the environmental
clearance granted to the project are as below.

- | | |
|---|---|
| 1. EC Identification No. | EC22B039MH175435 |
| 2. File No. | SIA/MH/MIS/68430/2018 |
| 3. Project Type | Expansion |
| 4. Category | B1 |
| 5. Project/Activity including
Schedule No. | 8(b) Townships and Area Development
projects. |
| 6. Name of Project | Amendment in Residential cum
Commercial project "Atmosphere" at Plot
bearing CTS no. 784/1, 785, 786, 787,
788, 790, 791, 792A, 793 & 848 of village
Nahur at Goregaon Mulund Link Road,
Mulund (W), Mumbai 400080 by M/s.
Atmosphere Realty Pvt. Ltd |
| 7. Name of Company/Organization | ATMOSPHERE REALTY PVT LTD |
| 8. Location of Project | Maharashtra |
| 9. TOR Date | 06 Aug 2019 |

The project details along with terms and conditions are appended herewith from page
no 2 onwards.

Date: 10/08/2022

(e-signed)
Manisha Patankar Mhaiskar
Member Secretary
SEIAA - (Maharashtra)

*Note: A valid environmental clearance shall be one that has EC identification
number & E-Sign generated from PARIVESH. Please quote identification
number in all future correspondence.*

This is a computer generated cover page.

PARIVESH

(Pro-Active and Responsive Facilitation by Interactive,
and Virtuous Environmental Single-Window Hub)



STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

No. SIA/MH/MIS/68430/2018
Environment & Climate
Change Department
Room No. 217, 2nd Floor,
Mantralaya, Mumbai- 400032.

To
M/s. Atmosphere Realty Pvt Ltd.,
Plot bearing CTS no. 784/1, 785, 786, 787,
788, 790, 791, 792A, 793 & 848, Village Nahur ,
Goregaon Mulund Link Road, Mulund (W),
Mumbai.

Subject : Environmental Clearance for Amendment in Residential cum Commercial project “Atmosphere” at Plot bearing CTS no. 784/1, 785, 786, 787, 788, 790, 791, 792A, 793 & 848 of village Nahur at Goregaon Mulund Link Road, Mulund (W), Mumbai by M/s. Atmosphere Realty Pvt Ltd.

Reference : Application no. SIA/MH/MIS/68430/2018

This has reference to your communication on the above mentioned subject. The proposal was considered by the SEAC-2 in its 166th meeting under screening category 8 (b) B1 as per EIA Notification, 2006 and recommend to SEIAA. Proposal then considered in 240th (Day-5) meeting of State Level Environment Impact Assessment Authority (SEIAA).

2. Brief Information of the project submitted by you is as below:-

Sr. No.	Description	Details
1.	Plot area (sq.m.)	55,509.50 sq.m
2.	FSI area (sq.m.)	1,34,750.48 sq.m
3.	Non FSI area (sq.m.)	1,53,249.58 sq.m
4.	Proposed built-up area (FSI + Non FSI) (sq.m.)	2,88,000.06 sqm
5.	Earlier EC details with Total Construction Area, if any.	The project had received Environmental Clearance vide letter no. SEIAA-EC-0000002339 dated 24th January 2020 for a total built up area of 2,89,153.11 Sq.m.
6.	Construction	Building I (Wing A, B, C) is already constructed on site as per

	completed as per earlier EC (FSI + Non FSI) (sq.m.)	earlier EC and OC received. Construction work for Building II has been started as per previous EC. The total construction work done on site till date is 180390.64 sq.m..		
7.	Proposed Building Configuration	No of Building	Number of floors	Height of the building (Mtrs)
		Building I Wing A, B, C	2B + St + 1st Podium + 2nd to 4 th (Pt) Podiums + 5th to 43rd Floors with fire check floor between 21 st & 22nd Floor and G + 2nd (Pt.) Amenity block with Club- house on podium top	141.35 m
		Building II Wing D, E, F	2B+St+1st (pt) to 3rd (pt)+ 4th to 47th Upper floors with parking bldg having 2B +St + 1st, 2nd and 3 rd Podium + 4th Podium for recreational ground having G + 1 club house	150.05 m
		Building II Wing G	2B+St+1st (pt) to 2nd (pt) Upper floors with parking bldg having 2B +St + 1st, 2nd and 3 rd Podium + 4th Podium for recreational ground having G + 1 club house	10.05 m
		Building II Commercial	2B + Gr+ 1st to 18th floor	66.30 m
8.	No. of Tenements & Shops	Building I (Wing A, B, C): 721 No. Building II (Wing D, E, F, G): 813 No. Building II (Comm): 367 No.		
9.	Total population	Residential: 9744 No.		
10.	Water requirement in CMD	Total water requirement: 1248 CMD		
11.	Sewage generation in CMD	1044 CMD		
12.	STP Capacity & Technology	Building I: 400 CMD BII: 585 CMD Commercial: 65 CMD Total: 1050 CMD with MBBR technology		

13.	STP Location	Below Ground
14.	Total Solid waste quantities	Dry waste: 1,854 Kg/Day Wet waste: 2,504 Kg/Day Total solid waste generated: 4,358 Kg/Day
15.	R.G. Area in sq.m.	RG required – 10,747.37 sq.m On Ground: 8154.88 sq.m On Podium: 4639.73 sq.m Total: 12794.61 sq.m
16.	Power requirement	Source: MSEDCL Connected load: 20687 kW Maximum load: 8435 KW
17.	Energy Efficiency	Building I: Total energy savings: 23%, through solar: 1.5 % Building II: Total energy savings: 22%, through solar: 5 % Building II (Commercial): Total energy savings: 20%, through solar: 6 %
18.	No. of DG Sets & Capacities	Building I: 2 × 750 kVA Building II: 2 × 630 kVA Commercial: 1 x 500 kVA
19.	Parking 4W & 2W	4 wheelers: 2845 nos 2 wheelers: 215 nos
20.	Rain water harvesting scheme	Total 4 RHW tanks are proposed having total capacity of 392 cum/day
21.	Project Cost in (Cr.)	1750 Crores
22.	EMP Cost	Capital Cost: Rs. 1370 lakhs O & M Cost: Rs. 84 lakhs
23.	CER Details with justification if any....	--
24.	Details of Court Cases/litigations w.r.t the project and project location, if any.	--

The comparative statement showing project details approved as per earlier EC and proposed project details as given below:

Sr. No.	Project Details	Details		
		Unit	As per previous EC Received vide Letter No. SEIAA-EC-0000002339	For proposed Amendment / expansion

			dated 24 th Jan 2020		
1	Plot area	Sq.m.	55,509.50	55,509.50	No change
2	Deduction in plot	Sq.m.	14,859.63	10,853.97	As per regulation 30 of DCPR 2034, FSI permissible shall be on plot area excluding only DP roads / setback / Reservation if any. As per UD Clarification, area of AOS deducted earlier is now not deducted. Hence, deducted area is reduced.
3	Net Plot area	Sq.m.	40649.87	44,655.53	As per regulation 30 of DCPR 2034, FSI permissible shall be on plot area excluding only DP roads / setback / Reservation if any. As per UD Clarification, area of AOS deducted earlier is now not deducted. Hence, Net Plot area has increased
4	Permissible FSI	Sq.m.	137110.41	134750.48 sq.m	Decrease in proposed FSI as per approval granted.
5	FSI area	Sq.m.	137110.41	134750.48 sq.m	Decrease in proposed FSI as per approval granted.
6	Non FSI area	Sq.m.	152042.70	153249.58 sq.m	Increased in non FSI due to additional podium
7	Total Built up area (Construction area)	Sq.m.	289153.11	288000.06 sq.m	Decreased in BUA 1153.05 sqm
8	Ground-coverage Area : % on net plot		18270.52 (42.50%)	18244.80 sq.m (40.86%)	Change in ground coverage due to change in planning of bldg II

9	Project Cost	CR.	1750	1750	No change
10	Building Configuration				
	Buildings	Wings	Bldg Configuration	Bldg Configuration	Remarks
	Building I	Wing A, B, C	2B + St + 1st Podium + 2nd to 4 th (Pt) Podiums + 5th to 43rd Floors with fire check floor between 21st & 22nd Floor and G + 2nd (Pt.) Amenity block with Club- house on podium top	2B + St + 1st Podium + 2nd to 4 th (Pt) Podiums + 5th to 43rd Floors with fire check floor between 21 st & 22nd Floor and G + 2nd (Pt.) Amenity block with Club- house on podium top	No change, Building Constructed on site as per previous EC, OC received from MCGM
Building II	Wing D, E, F	2B+St+1st (pt) to 3rd (pt)+ 4th to 47th Upper floors with parking bldg having 2B +St + 1st and 2nd Podium + 3rd Podium for recreational ground having G + 1 club house	2B+St+1st (pt) to 3rd (pt)+ 4th to 47th Upper floors with parking bldg having 2B +St + 1st, 2nd and 3 rd Podium + 4th Podium for recreational ground having G + 1 club house	Smaller flats are proposed in place of bigger flats in wing F, one podium has been increased in parking building to accommodate the parking requirement Hence, Changes in planning	
		Wing G	2B+St+1st (pt) to 3rd (pt) floors with parking bldg having 2B +St + 1st and 2nd Podium + 3rd Podium for recreational ground having G + 1 club house	2B+St+1st (pt) to 2nd (pt) Upper floors with parking bldg having 2B +St + 1st , 2nd and 3 rd Podium + 4th Podium for recreational ground having G	one podium has been increased in parking building Hence, Changes in planning

			+ 1 club house	
	Commercial	2B + Gr. + 1st to 18th floor	2B + Gr+ 1st to 18th floor	No change in configuration, only no. of Commercial units increased as the smaller units are proposed.

11	Number of tenants and shops				
	Residential Tenements	Building I	721 No.	721 No.	Tenements of Building No. I remains same & bldg. II is increased by 80 No's as smaller residential units are proposed.
		Building II	733 No.	813 No.	
	Commercial	--	355 No.	367 No.	12 no. of offices increased as smaller commercial units are proposed within same footprint
12	No. of expected Residents				
	Residential	Building I	3605 No.	3605 No.	Total population increased due to proposed change in planning
		Building II	4057 No.	4370 No.	
	Commercial	--	1390 No.	1478 No.	
	Staff, Visitors & floating population	--	100 No.	100 No.	
	Total		9152 No.	9465 No.	
13	Height of the building				
		Building I (A,B & C): 141.35 m Building II (D,E & F): 153.05 m Building II (G): 13.65 m Building II (Commercial): 63.90 m	Building I (A,B & C): 141.35 m Building II (D,E & F): 150.05 m Building II (G): 10.05 m Building II (Commercial): 66.30 m	Height of the Building II & Commercial Bldg is changed	

14	Total water requirement	KLD	1195	1222	Total water requirement increased
15	Wastewater generation	KLD	982	1044	Total sewage generation increased
16	STP capacity	KLD	BI: 400 KLD BII: 550 KLD Commercial: 80 KLD Total: 1030 KLD	BI: 400 KLD BII: 585 CMD Commercial: 65 CMD Total: 1050 KLD	For Bldg 1-400 KLD of STP is already installed at site Building II-STP capacity increased.
17	Total Solid waste generation	Kg/Day	Wet Waste: 2405	Wet Waste: 2,497	Total solid waste generation increased
			Dry waste: 1780	Dry waste: 1,838	
			Total: 4185	Total: 4,335.00	
18	No. of Parking				
	4 Wheelers	Nos.	BI: 1041 BII: 1387 Commercial: 221 Total : 2649 nos	BI: 1041 BII: 1582 Commercial: 222 Total : 2845 nos	Increased due to no. of tenements increased
	2 Wheelers	Nos.	205	215	
19	Green Belt Development				
	Prop. Total R.G.	Sq.m.	On Ground: 8154.88 sq.m	On Ground: 8154.88 sq.m	No change in RG area
			On Podium: 4639.73 sq.m	On Podium: 4639.73 sq.m	
			Total: 12794.61 sq.m	Total: 12794.61 sq.m	
20	Power Requirement				
	Connected Load	Kw	21636 kW	20687 kW	No change in DG set Capacity
	Maximum Demand	Kw	8555 kW	8435 kW	
	D.G.sets	KVA	Building I: 2 × 750 kVA Building II: 2 × 630 kVA Commercial: 1 x 500 kVA	Building I: 2 × 750 kVA Building II: 2 × 630 kVA Commercial: 1 x 500 kVA	

21	Cost for EMP				
	Capital	Rs. In Lacs	1330	1370	Increased due to Proposed amendment
	O & M	Rs. In Lacs	77	84	

3. Proposal is an expansion of existing construction project. Project had received earlier Environmental Clearance vide letter No. SEIAA-EC-0000002339 dated: 24th January, 2020 for total plot area of 55,509.50 Sq. Mtrs., BUA of 2,89,153.11 Sq. Mtrs. and FSI area of 1,37,110.41 Sq. Mtrs. Proposal has been considered by SEIAA in its 240th (Day-5) meeting and decided to accord Environment Clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implantation of following terms and conditions-

Specific Conditions:

A. SEAC Conditions-

1. PP to submit IOD/IOA/Concession Document/Plan Approval or any other form of documents as applicable clarifying its conformity with local planning rules and provisions as per the Circular dated 30.01.2014 issued by the Environment Department, Govt. of Maharashtra.
2. PP to obtain following NOCs & remarks as per amended plan:
a) Sewer Connection; b) Nalla remarks; c) Tree NOC.
3. PP to submit SWD layout along with cross section.
4. PP to submit revise parking layout showing width & slope of ramp.
5. PP to submit revise fire tender movement plan showing clear road width of six meters and turning radius of nine meters.
6. PP to submit latest certified six-monthly compliance report of earlier EC from Regional Office, MOEF&CC, Nagpur.
7. PP to submit revise architect certificate with building wise/configuration wise construction done (FSI & Non FSI) as per earlier EC received to the project.

B. SEIAA Conditions-

1. PP to keep open space unpaved so as to ensure permeability of water. However, whenever paving is deemed necessary, PP to provide grass pavers of suitable types & strength to increase the water permeable area as well as to allow effective fire tender movement.
2. PP to achieve at least 5% of total energy requirement from solar/other renewable sources.
3. PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF& CC vide F.No.22-34/2018-IA.III dt.04.01.2019.
4. SEIAA after deliberation decided to grant EC for – FSI- 134750.48 m², Non-FSI- 153249.58 m², Total BUA-288000.06 m². (Plan approval- CHE/ES/1321/T/337(NEW)/337/7/Amend, dated-19.08.2021).

General Conditions:

a) Construction Phase :-

- I. The solid waste generated should be properly collected and segregated. Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. Disposal of muck, Construction spoils, including bituminous material during

construction phase should not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in the approved sites with the approval of competent authority.

- III. Any hazardous waste generated during construction phase should be disposed of as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
- IV. Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
- V. Arrangement shall be made that waste water and storm water do not get mixed.
- VI. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices.
- VII. The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.
- VIII. Permission to draw ground water for construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.
- IX. Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
- X. The Energy Conservation Building code shall be strictly adhered to.
- XI. All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
- XII. Additional soil for levelling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
- XIII. Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
- XIV. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environment Clearance.
- XV. The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
- XVI. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environment Clearance.
- XVII. Vehicles hired for transportation of Raw material shall strictly comply the emission norms prescribed by Ministry of Road Transport & Highways Department. The vehicle shall be adequately covered to avoid spillage/leakages.
- XVIII. Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.

- XIX. Diesel power generating sets proposed as source of backup power for elevators and common area illumination during construction phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel is preferred. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.
- XX. Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings by a separate environment cell /designated person.

B) Operation phase:-

- I. a) The solid waste generated should be properly collected and segregated. b) Wet waste should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. c) Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016.
- III. a) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Treated effluent emanating from STP shall be recycled/ reused to the maximum extent possible. Treatment of 100% grey water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP. b) PP to give 100 % treatment to sewage /Liquid waste and explore the possibility to recycle at least 50 % of water, Local authority should ensure this.
- IV. Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement.
- V. The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.
- VI. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
- VII. PP to provide adequate electric charging points for electric vehicles (EVs).
- VIII. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
- IX. A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
- X. Separate funds shall be allocated for implementation of environmental protection

measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes.


- XI. The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at <http://parivesh.nic.in>
- XII. Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1st June & 1st December of each calendar year.
- XIII. A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
- XIV. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO₂, NO_x (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.

C) General EC Conditions:-

- I. PP has to strictly abide by the conditions stipulated by SEAC & SEIAA.
- II. If applicable Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
- III. Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
- IV. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
- V. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
- VI. No further Expansion or modifications, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the SEIAA. In case of deviations or alterations in the project proposal from those submitted to SEIAA for clearance, a fresh reference shall be made to the SEIAA as applicable to assess the adequacy of conditions imposed and to add additional environmental

protection measures required, if any.

- VII. This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.
4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.
5. This Environment Clearance is issued purely from an environment point of view without prejudice to any court cases and all other applicable permissions/ NOCs shall be obtained before starting proposed work at site.
6. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.
7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, amended from time to time.
8. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.
9. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D-Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.


Manisha Patankar-Mhaiskar
(Member Secretary, SEIAA) 23/11/2022

Copy to:

1. Chairman, SEIAA, Mumbai.
2. Secretary, MoEF & CC, IA- Division MOEF & CC
3. Member Secretary, Maharashtra Pollution Control Board, Mumbai.
4. Regional Office MoEF & CC, Nagpur
5. District Collector, Mumbai Suburban.
6. Commissioner, Municipal Corporation of Greater Mumbai.
7. Regional Officer, Maharashtra Pollution Control Board, Mumbai.